



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 9032

| SERIAL NUMBER | FILING or 371(c) DATE RULE | CLASS | GROUP ART UNIT | ATTORNEY DOCKET NO. |
|---------------|----------------------------------|-------|----------------|---------------------|
| 10/538,587 | | 385 | 2877 | Z50056 |

APPLICANTS

Christoph Hauger, Aalen, GERMANY;
 Hans-Joachim Miesner, Aalen, GERMANY;
 Ludwin Monz, Mainz, GERMANY;

** CONTINUING DATA *****

This application is a 371 of PCT/EP03/14323 12/16/2003

** FOREIGN APPLICATIONS *****

GERMANY 102 60 887.3 12/17/2002

** IF REQUIRED, FOREIGN FILING LICENSE GRANTED **

| | | | | | | | |
|---------------------------|---|---|---|------------------|-----------------|--------------|--------------------|
| Foreign Priority claimed | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 35 USC 119(a-d) conditions met | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | STATE OR COUNTRY | SHEETS DRAWINGS | TOTAL CLAIMS | INDEPENDENT CLAIMS |
| Verified and Acknowledged | <input type="checkbox"/> Met after Allowance Initials | /MICHAEL A LYONS/ Examiner's Signature | | GERMANY | 3 | 25 | 1 |

ADDRESS

CASELLA & HESPOS
 274 MADISON AVENUE
 NEW YORK, NY 10016

TITLE

COHERENCE MICROSCOPE USING INTERFERENCE OF TIME INCOHERENT LIGHT TO ACHIEVE DEPTH
 RESOLUTION IN A MEASUREMENT SPECIMEN

| | | |
|-----------------------------|---|--|
| FILING FEE RECEIVED 1330 | FEES: Authority has been given in Paper No._____ to charge/credit DEPOSIT ACCOUNT No._____ for following: | <input type="checkbox"/> All Fees |
| | | <input type="checkbox"/> 1.16 Fees (Filing) |
| | | <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) |
| | | <input type="checkbox"/> 1.18 Fees (Issue) |
| | | <input type="checkbox"/> Other _____ |
| | | <input type="checkbox"/> Credit |